

# CERTIFICATE OF ANALYSIS

\* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

**900MG 1:1 CBG/CBD TINCTURE - UNFLAVORED (TINCTURE) // PRODUCED: DEC 15, 2022**

CLIENT: CASCO BAY HEMP // BATCH: PASSED



**BATCH NO.:** 0510  
**MATRIX:** TINCTURE  
**SAMPLE ID:** NAL-221209-005  
**COLLECTED ON:** DEC 09, 2022  
**RECEIVED ON:** DEC 09, 2022  
**SAMPLE SIZE:** 5 ML  
**SAMPLED BY:** BENJAMIN WALTERS  
**RECEIVED BY:** KAYLIN KEITH

## CANNABINOID OVERVIEW

<b>CBD:</b>	<b>3.96 %</b>
<b>CBG:</b>	<b>3.32 %</b>
<b>TOTAL CANNABINOIDS:</b>	<b>7.55 %</b>

**BATCH RESULT: PASSED**

**POTENCY** PASS

## CAN. 1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: DEC 14, 2022 // ANALYSIS: DEC 15, 2022

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBC	0.146 %	1.46 mg/g		0.0105/0.0523	N/A
CBCA	ND	ND		0.0105/0.0523	N/A
CBD	3.96 %	39.6 mg/g		0.0105/0.0523	N/A
CBDA	ND	ND		0.0105/0.0523	N/A
CBDV	< LOQ	< LOQ		0.0105/0.0523	N/A
CBDVA	ND	ND		0.0105/0.0523	N/A
CBG	3.32 %	33.2 mg/g		0.0105/0.0523	N/A
CBGA	ND	ND		0.0105/0.0523	N/A
CBL	ND	ND		0.0105/0.0523	N/A
CBLA	ND	ND		0.0105/0.0523	N/A
CBN	0.0539 %	0.539 mg/g		0.0105/0.0523	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBNA		ND	ND	0.0105/0.0523	N/A
Δ <sup>8</sup> -THC		ND	ND	0.0105/0.0523	N/A
Δ <sup>9</sup> -THC	0.0695 %	0.695 mg/g		0.0105/0.0523	N/A
Δ <sup>10</sup> -THC		ND	ND	0.0105/0.0523	N/A
EXO-THC		ND	ND	0.0105/0.0523	N/A
THCA		ND	ND	0.0105/0.0523	N/A
THCV		ND	ND	0.0105/0.0523	N/A
THCVA		ND	ND	0.0105/0.0523	N/A
TOTAL THC**	0.0695 %	0.695 mg/g			N/A
TOTAL CBD**	3.96 %	39.6 mg/g			N/A

\*\* TOTAL CBD = (CBDA X 0.877) + CBD

\*\* TOTAL THC = (THCA X 0.877) + THC

Reported on an as received basis

1000 µg/g = 1 mg/g



**RESULTS CERTIFIED BY:**  
BARRY CHAFFIN  
COO, NOVA ANALYTIC LABS  
DEC 15, 2022

**RESULTS CERTIFIED BY:**  
GREG NEWLAND  
CSO, NOVA ANALYTIC LABS  
DEC 15, 2022

**RESULTS CERTIFIED BY:**  
CHRIS ALTOMARE  
CEO, NOVA ANALYTIC LABS  
DEC 15, 2022

[https://lims.tagleaf.com/coa\\_/9VqqHcqWMI](https://lims.tagleaf.com/coa_/9VqqHcqWMI)

## NOTES

CHRIS ALTOMARE  
DEC 15, 2022

**POTENCY & CANNABINOID PROFILE BY HPLC-UV**  
THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

\* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

**END OF REPORT**

