

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

3000MG FS CBD PEPPERMINT 1 OZ TINCTURE (TINCTURE) // PRODUCED: OCT 03, 2023

CLIENT: CASCO BAY HEMP // BATCH: PASSED



BATCH NO.: 0628 ¹
MATRIX: TINCTURE ¹
DENSITY: 0.9516 g/ml ²
SAMPLE ID: NAL-230929-078
COLLECTED ON: SEP 29, 2023
RECEIVED ON: SEP 29, 2023
SAMPLE SIZE: 5 ML ¹
SAMPLED BY: BENJAMIN WALTERS
RECEIVED BY: IAN LEONARD
SERVING SIZE: 1 ML ²
PACKAGE SIZE: 29.5735 ML ¹

CANNABINOID OVERVIEW

CBD: 112 mg/srv
CBC: 1.96 mg/srv
TOTAL CANNABINOIDS: 114 mg/srv

¹ ENTERED BY CLIENT, ² ENTERED BY LAB

BATCH RESULT: PASSED

POTENCY PASS

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: OCT 02, 2023 // ANALYSIS: OCT 03, 2023

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
CBC	0.206 %	1.96 mg/ml	1.96 mg/ml	0.500/0.999	N/A
CBCA	ND	ND	ND	0.500/0.999	N/A
CBD	11.8 %	112 mg/ml	112 mg/ml	0.500/0.999	N/A
CBDA	< LOQ	< LOQ	< LOQ	0.500/0.999	N/A
CBDV	ND	ND	ND	0.500/0.999	N/A
CBDVA	ND	ND	ND	0.500/0.999	N/A
CBG	< LOQ	< LOQ	< LOQ	0.500/0.999	N/A
CBGA	ND	ND	ND	0.500/0.999	N/A
CBL	ND	ND	ND	0.999/0.999	N/A
CBLA	ND	ND	ND	0.500/0.999	N/A
CBN	ND	ND	ND	0.500/0.999	N/A
CBNA	ND	ND	ND	0.500/0.999	N/A
Δ ⁸ -THC	ND	ND	ND	0.999/0.999	N/A
Δ ⁹ -THCA	ND	ND	ND	0.999/0.999	N/A
Δ ⁹ -THC	ND	ND	ND	0.500/0.999	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
Δ ¹⁰ -THC		ND	ND	0.500/0.999	N/A
EXO-THC		ND	ND	0.999/0.999	N/A
THCA		ND	ND	0.999/0.999	N/A
THCV		ND	ND	0.500/0.999	N/A
THCVA		ND	ND	0.500/0.999	N/A
TOTAL THC**		ND	ND		N/A
TOTAL CBD**		11.8 %	112 mg/ml		N/A
CBD/SRV		112 mg			N/A
Δ ⁹ -THC/SRV		ND			N/A
TOTAL THC/SRV**		ND			N/A
TOTAL CBD/SRV**		112 mg			N/A
CBD/PKG		3320 mg			N/A
Δ ⁹ -THC/PKG		ND			N/A
TOTAL THC/PKG**		ND			N/A
TOTAL CBD/PKG**		3320 mg			N/A

** TOTAL CBD = (CBDA X 0.877) + CBD

** TOTAL THC = (THCA X 0.877) + THC

Reported on an as received basis

1000 µg/g = 1 mg/g



AUTHORIZED BY:
 ZACHARY SMITH
 LABORATORY MANAGER, NOVA
 ANALYTIC LABS
 OCT 03, 2023

NOTES

ZACHARY SMITH
OCT 03, 2023

POTENCY & CANNABINOID PROFILE BY HPLC-UV
THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

** FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT

